


For a correctly sized printout, adjust Adobe Acrobat Reader's Print Menu settings as shown here:




Using these settings, print only page 2 and/or 3 of this document.

GenoType[®] MTBDRplus 12

VER 1.0
00304-0507-02-2

dd	mm	yyyy
----	----	------



TUB	rpoB-WT	rpoB-MUT	katG-WT	katG-MUT	inhA-WT	inhA-MUT	RMP		INH	
							sensitive	resistant	sensitive	resistant





CC	AC	TUB	rpoB	rpoB WT1	rpoB WT2	rpoB WT3	rpoB WT4	rpoB WT5	rpoB WT6	rpoB WT7	rpoB WT8	rpoB MUT1	rpoB MUT2A	rpoB MUT2B	rpoB MUT3	katG	katG WT	katG MUT1	katG MUT2	inhA	inhA WT1	inhA WT2	inhA MUT1	inhA MUT2	inhA MUT3A	inhA MUT3B	M	

LOT _____
 
HYB _____ min
 
STR _____ min
 
SUB _____ min
 


GenoType[®] MTBDRplus 96

VER 1.0

dd mm yyyy

#				
---	--	---	---	---

TUB	RMP	INH
<i>rpoB</i> -WT	sensitive	sensitive
<i>rpoB</i> -MUT	resistant	resistant
<i>katG</i> -WT		
<i>katG</i> -MUT		
<i>inhA</i> -WT		
<i>inhA</i> -MUT		



LOT _____
 
 HYB _____ min
 
 STR _____ min
 
 SUB _____ min
  _____